

Chao-Gan YAN, Ph.D. 严超赣

yancg@psych.ac.cn http://rfmri.org The R-fMRI Lab Institute of Psychology, Chinese Academy of Sciences

## Introduction



RESTING-STATE ACTIVITY IS IMPORTANT, IF THE AMOUNT OF ENERGY DEVOTED TO IT IS ANY INDICATION.



7 Smith , 2012. Nature

### Introduction

#### **Computational Methods**

- · Regional characteristics of a single voxel
- Relational characteristics among multiple voxels

Introduction

#### Regional characteristics of a single voxel

Amplitude measures. For a given frequency:

- RMS: root mean square (Biswal et al., 1995)

RSFA: standard deviation (Kannurpatti et al. 2008)

ALFF: amplitude of low-frequency fluctuations (Zang et al., 2007)

fALFF: fractinal ALFF (Zou et al., 2008)

14 Zuo and Xing, 2014. Neurosci Biobehav Rev

### Introduction

13

Zuo and Xing, 2014. Neurosci Biobehav Rev





#### Regional characteristics of a single voxel

- Degree of power-law fitting (Kiviniemi et al., 2000)
- Fractal dimension or Hurst exponent (Maxim et al., 2005; Wink et al., 2008)
- Multi-scale or approximate entropy (Smith et al., 2014; Liu et al., 2013a)
- Lyapunov exponent (Xie et al., 2008)

17 Zuo and Xing, 2014. Neurosci Biobehav Rev

#### Introduction

#### **Relational characteristics among multiple voxels**

- · Functional Connectivity
- · Effective Connectivity

18



### Introduction

Correlation



20

### Introduction



Beckmann et al., 2005; Birn, 2015

### Introduction

#### **Regional Homogeneity (ReHo)**

Similarity or coherence of the time courses within a functional cluster



Voxel Mirrored Homotopic Connectivity (VMHC)









#### Introduction

#### Graph theoretical analysis



### Introduction

#### Graph theoretical analysis



Cp: average clustering of a network Lp: average shortest path length of a network Small-world networks contain many local links and a few longdistance links (so-called "shortcuts").

25

#### Introduction

Voxel-wise network centrality metrics



Degree Centrality Buckner et al., 2009. J Neurosci



#### 26

### Introduction

#### **Global Signal Correlation**

Α						7
Correlation with WB signal		(1)	81	1.1		11 IA 10
в			(			
WB correlation significantly above mean						4 17 10 10
	z=57	z=39	z=9	z=3	x=-1.5	

Fox et al., 2009. J Neurophysiol

27

### Introduction



Voxel strength: ALFF/fALFF

Regional synchronization: ReHo



Homotopic connectivity: VMHC

Global connectivity: Degree Centrality

GSCorr



Yan et al., 2013a. Neuroimage

1000000	COST	and the second	Chica and	A REAL PROPERTY.	Con Contraction	a clicco actes	ADD A MORE	
Heart	-	4	000			00	44	
Mass .	-	2	0			Nor Appleable	44	
2.	Call.	2	600 000			6	000	
10 dvisor	CA.	2	000	A CAR		60	44	
or regression i	CAR	100	6 C.			6	44	
-					23.23			
			Standa	rdization				
			Yan et	al., 2013	b. Neuroin	nage		

29

an

### Introduction





Intrinsic activity in Autism Di Martino, Yan et al., 2014 Mol Psychiatry Intrinsic brain indices of verbal working memory capacity Yang, , Yan et al., 2015. Dev Cogn Neurosci

30

#### Introduction

Interdependencies among different intrinsic brain function measures

- How concordant differing indices are with respect to their variation across voxels
- How concordant different indices are with respect to their variation from one individual to the next
- How concordant differing indices are with respect to their variation over time

31

# Introduction



Yuan et a., 2013. Magn Reson Imaging Aiello et a., 2015 Neuroimage

32

### Introduction



33 Yang et al., 2016. Brain Struct Funct

#### Introduction

#### **Temporal Dynamic Perspective**





The goal of the present work is to provide a comprehensive understanding of interdependencies among different intrinsic brain activity measures within and across individuals.

#### **Materials and Methods**



Enhanced Nathan Kline Institute - Rockland Sample

173 neurotypical individuals ages between ages 8 and 86 with quality pass datasets (mean age: 44.5; 117 females)



35



#### **Materials and Methods**

#### Dynamic R-fMRI Indices



# Materials and Methods

#### **R-fMRI** Indices



Voxel strength: ALFF/fALFF





Regional synchronization: ReHo Homotopic connectivity: VMHC

Global connectivity: Degree Centrality

GSCorr

39

41

### Materials and Methods

Correlation between Global Mean of R-fMRI Indices



## **Materials and Methods**

#### Voxel-wise Concordance Index



## Materials and Methods

#### Volume-wise Concordance Index



### **Materials and Methods**

#### Age Effects

A given measure = b0 + b1×Age + b2×Sex + b3×meanFD + error

**Results and Discussion** 





#### **Results and Discussion**

Evaluating Concordance among R-fMRI Indices: Global-Level Analyses





47



### **Results and Discussion**

Evaluating Concordance among R-fMRI Indices: Voxel-wise Analyses



Yan et al., 2017. Science Bulletin

### **Results and Discussion**

Evaluating Spatial Concordance among R-fMRI Indices: Volume-wise Analysis



### **Results and Discussion**

Understanding Low/High Concordance



**Results and Discussion** 

Understanding Low/High Concordance



Yan et al., 2017. Science Bulletin

52



Yan et al., 2017. Science Bulletin

52

51

49













鲁彬,,严超赣\*,2018.科学通报

孤独症脑自发活动动态性及其整合的异常机制



鲁彬,,严超赣\*,2018.科学通报.

#### Definition of stability of functional architecture



#### Profile of stability of intrinsic functional architecture

- Resting-state fMRI data of 216 young adults from the CoRR (Consortium for Reliability and Reproducibility) release (Zuo, et al., 2014) was used. The data contained two scanning sessions acquired at different days, and the two sessions were analyzed separately.
- The derived KCC for each subject was z-standardized across a grey matter mask, to increase comparability across participants and conditions.
- One-sample T-tests with zero

Li et al., in revision

#### Profile of stability of intrinsic functional architecture



Li et al., in revision

#### Profile of stability of intrinsic functional architecture

Comparison of functional stability between high-order associative and primary visual regions.



Li et al., in revision

#### Profile of stability of intrinsic functional architecture

- Was the stability of functional architecture above random level?
- Simulated data was created by randomizing the phases while keeping the amplitude of the resting-state signals.



The stability of functional architecture doesn't exist in simulated random data, while distributed across the brain in a biological meaningful way.

#### Li et al., in revision

#### Stability during natural viewing

- A movie-watching task was employed, during which viewers had to constantly integrate changing audiovisual stimuli over time, in order to comprehend the movie.
- The dataset from the HBN (Healthy Brain Network) release (Alexander, et al., 2017) was analyzed. The fMRI data was acquired from 32 children and adolescents, and there were two runs of resting-state scanning, followed by another run of movie watching.
- □ The movie was a 10-min clip of an animated film named "Despicable Me"





#### Stability during natural viewing



#### Stability during natural viewing

- Inter-subject correlation (ISC) of neural activity (Hasson, et al., 2010), which can reveal which brain region was engaged when the subjects watched the movie.
- Threshold: r > 0.25 in average and p < 0.001 in one-sample T-test with 0</p>



Li et al., in revision

#### Stability during natural viewing

- □ The stability of functional architecture of a certain region was measured based on the whole-brain DFC for that region. A further step is to probe which connections specifically contributed to the difference in stability observed between states.
- ROI: left pMTG, left Calcarine sulcus
- DFC variation for each ROI was calculated as standard deviation of DFC across sliding-time windows. At the group-level analyses, the DFC variation was compared between the two states.





NV.

ŝ



**Further Help** 



## 深度特训与数据分析

#### 5 静息态功能磁共振成像数据处理深度特训

从您见到这条消息开始,您便将有机会与 The R-fMRI Lab 的静息态功能磁共振 专家团队共同探索大脑的奥秘!深度跟组特词期间,您将会亲身体验;

- 数据处理 专家指导下高效学习静息态功能磁共振成像数据处理
- 思路设计 与国际知名专家讨论形成研究思路

论文撰写 系统的 SCI 论文写作训练

http://deepbrain.com



功能磁共振成像越来越成为一种主流的科研手段,然而功能磁共振的数据分 析却是一项具有高度挑战性的工作。海量的原始数据,繁多的分析步骤,复杂的 分析方法都让研究者们无所适从。恰当的分析方法可以从普通的数据中挖掘出富 有创新性的结果,而不适当的分析则可能让精心收集的数据黯然失色。深度大脑 公司联合 The R-fMRI Lab 的专业脑功能成像研究团队推出一站式功能磁共振数 据分析解决方案,助您从容应对功能磁共振数据带来的挑战。

## DPABISurf工作站

#### DPABI工作站

序号	名称	98	市场报号台
1	DPASI包穿工作站 (Windows) DPABI Educational Core Windows	14英寸轻寒军动组商务办公军记半电脑 八代国桥八线担15-82500, 16G内存, 256G服 高康盘+17和间接盘, PCIe, 独立至卡, 指纹识别	¥ 8999
2.	DPABI计算工作站 (Linux/Windows) DPABI Computational Core	相元世界語 20世40日編集時代定領4114 2.2G *2.9.6GT/5 2019(144).Turbo,HTI85W), 4*16GT RDHM, 64GJR5, 2666MT/5, 4*14T 2.2R HWI NLSA, 10TH編美、万楽地 選,RAID+: H330, DVD-RW 現地 三年現時	¥ 59999
3.	DPABBACT138 (Windows) DPABI Mobile Core Windows	15.6英寸移动置形工作站 八代九统十二通程7-8750H, 16G内容, 256G 国志硬盘+11和间硬盘, 91000 4G国立显卡	¥24999

http://deepbrain.com/DPABICore

	DPABI计算工作站 (Mac)	Mac Pro	
4.	DPAB Computational Core Mac	Turbo Boost 最高可达 4.3GHz, 64G内容 2666MHz DDR4 0CC, 178 里古碧盘, Radeon Pro Vega 56 图形处理器 8G HBM2 显导	¥ 8499
	DPABBIAIMA	15 英寸 MacBook Pro 八代六梯十二級現intel Core (7 标理器,	
5.	(Mac)	Turbo Boost 墨卑可达 4.3GHz, 16G内存 2400MHz DOR4, 512G图5硬盘, Radeon Pro 560X 图形处理器, 影音 4G CDDR5 副存,	¥3299
	DPABI Mobile Core Nac	家用國路豐売批求的利用國豐市課,觸控印和錄 經10, 於个豐重 3 唯口	
6.	DPARGRISH	如果忽有更充足的预算,需要更为强大的性能。 读取系数12经要定制服务每	12.00

61

## DPABI计算工作站

1011278-012 DPAR计算工作站 時後皇, 冗余日 http://deepbrain.com/DPABICore DPABISurf 并行计算: 每天完成 20 个被试的皮层计算!!!

62

### The R-fMRI Lab



NeChat Official Account: RFMRILab

### Acknowledgments



Chinese Academy of Sciences Xi-Nian Zuo Hangzhou Normal University Yu-Feng Zang NYU Child Study Center F. Xavier Castellanos Child Mind Institute Michael P. Milham

- · National Natural Science Foundation of China
- Funding 
  National Key R&D Program of China
  - · Chinese Academy of Sciences

64

### **Thanks for your attention!**